

SOUTHEAST CULVERT

LAST UPDATED 09-12-2008

PO Box 999, Auburn, GA 30011

Phone (770) 963-5041 Fax (770) 339-0240

METRO-ATLANTA COUNTY STORM DRAIN SPECIFICATIONS

COUNTY	UNDER ROADS	INSIDE R.O.W.	LIVE STREAMS	GAUGE
ATHENS-CLARKE	Alt2 <u>or</u> BCCMP 14 gauge	Alt2 <u>or</u> BCCMP	(Alt2 <u>or</u> BCCMP) w/ paved invert, 12 gauge	DOT*
BALDWIN	Concrete	BCCMP	BCCMP	DOT
BARROW	Alt2 <u>or</u> BCCMP (Local Street Only)	Alt2 <u>or</u> BCCMP	Alt2 <u>or</u> BCCMP w/ Paved Invert	DOT
CARROLL	BCCMP	BCCMP	BCCMP w/ paved invert	DOT
CHEROKEE	Alt2 <u>or</u> BCCMP	Alt2 <u>or</u> BCCMP	concrete	DOT
CLAYTON	RCP	Alt2 <u>or</u> BCCMP 14 gauge	HDPE <u>or</u> concrete	DOT*
COBB	14 gauge Alt2 <u>or</u> 12 gauge BCCMP -inv. to F.L.>15'-no CMP	14 gauge Alt2 <u>or</u> 12 gauge BCCMP -inv. to F.L.>15'-no CMP	(Alt2 <u>or</u> BCCMP) w/ paved invert -inv. to F.L.>15'-no CMP	DOT*
COWETA	BCCMP Gauge per Chart	BCCMP Gauge per Chart	BCCMP Gauge per Chart	DOT*
DAWSON	concrete	Alt2 <u>or</u> BCCMP	Alt2 <u>or</u> BCCMP w/ paved invert	DOT
DEKALB	concrete	BCCMP w/ paved invert	concrete	DOT
DOUGLAS	concrete	Alt2 <u>or</u> BCCMP	Alt2 & Coated	DOT
FAYETTE	concrete	Alt2 <u>or</u> BCCMP	Alt2 <u>or</u> BCCMP	DOT
FORSYTH	Alt2 <u>or</u> BCCMP Cover < 15'	Alt2 <u>or</u> BCCMP Cover < 15'	RCP <u>or</u> as approved	DOT
FULTON	concrete	½ BCCMP w/ paved invert (Gauge Chart)	½ BCCMP w/ paved invert (Gauge Chart)	DOT*
GWINNETT	RCP	14 gauge Alt2	Alt2 Maxflow w/ paved invert	DOT*
HALL	Alt2 <u>or</u> BCCMP	Alt2 <u>or</u> BCCMP	Alt2 <u>or</u> BCCMP	DOT
HENRY	BCCMP	BCCMP	BCCMP	DOT
JACKSON	Alt2 <u>or</u> BCCMP On Local Street	Alt2 <u>or</u> BCCMP	Alt2 & Coated When Approved	DOT
NEWTON	RCP	14 Gauge Alt2	14 Gauge Alt2	DOT
OCONEE	ALT2 <u>or</u> BCCMP ADT less than 250	ALT2 <u>or</u> BCCMP	ALT2 fully coated & paved	DOT
PAULDING	Alt2 <u>or</u> BCCMP	Alt2 <u>or</u> BCCMP	*BCCMP w/ pvd. invert	DOT
ROCKDALE	Alt2	Alt2	RCP <u>or</u> HDPE	DOT
SPALDING	BCCMP	BCCMP	BCCMP	DOT
WALTON	Alt2 <u>or</u> BCCMP ADT less than 250	Alt2 <u>or</u> BCCMP	RCP <u>or</u> HDPE	DOT

Every effort was made to insure the accuracy of these requirements listed.

SEC is not responsible for inaccuracies, please check local specifications.

*-To be installed per GA. DOT 1030D, gauge per county specification

Many Counties do not require their specifications be followed on Private Projects